

SAFETY DATA SHEET

The product referenced in the SDS documents is a consumer product. Under OSHA regulations, this product is considered an "article" and is not subject to OSHA hazard communication standard SDS requirements for hazardous chemicals in the workplace. This product is also considered an "article" under the Global Harmonized System and exempt from the GHS labeling and SDS classification criteria.

Section 1 Product and Company Identification

Product Name: PZ Shrink Film

Synonym: Shrink Film

Manufacturer: Anchor Packaging

13515 Barrett Parkway Drive

Ballwin, MO 63021

Formula: Trade Secret

Chemical Family: Polymeric Packaging Material

Date Prepared: December 10, 2008

Date Revised: March 29, 2019

Section 2 Hazard Identification

Classification: Not Applicable

Pictograms: Not Applicable

Signal Word: Not Applicable

Hazard Phrases: Not Applicable

Precautionary Statements: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Section 3 Composition

In accordance with 29 CFR 1910.1200, this product contains no hazardous components.

Date Revised: March 29, 2019 Page 1 of 4

Section 4 First-aid Measures

Eyes: If heated material gets into eyes, flush immediately with fresh water

for 15 minutes while holding eyelids open. Remove contact lenses if

worn. Seek immediate medical attention.

Skin: If hot material gets onto skin, quickly cool in water. See physician for

extensive burns. Do not try to peel solidified material from skin or use solvents or thinners to dissolve it. Use of vegetable or mineral

oils is recommended for removal of this material from skin.

Ingestion: Ingestion is an unlikely route of exposure under normal industrial

conditions. However, if appreciable quantities of this product are

accidentally swallowed, seek medical attention.

Inhalation: If breathing difficulties develop, move affected person away from

source of exposure into fresh air. Seek medical attention.

Section 5 Fire-fighting measures

Flammable Limits in Air (% by

Volume):

N/A

Flash Point: Not Available

Auto Ignition Temperature: Not Available

Extinguishing Media: Water, Carbon Dioxide, Foam, Fog, Dry, Chemical

Fire Fighting Instructions: Use self-contained breathing apparatus

Flammability Classification: Not Available

Known or Anticipated Hazardous

products of Combustions:

Hydrocarbon oxidation products, including carbon dioxide, carbon

monoxide, organic acids, aldehydes, alcohols

Additional Information: This material will burn although it is not easily ignited.

Section 6 Accidental release measures

Accidental Release Measures: Sweep spilled material into a disposable container. If spilled material

is molten, allow it to cool and solidify before proceeding with disposal

methods.

Personal Precautions: Allow heated material to cool prior to cleanup.

Environmental Precautions: Avoid contaminating soil or releasing this material into sewage and

drainage systems and bodies of water.

Methods for Cleanup: No special methods identified.

Date Revised: March 29, 2019 Page 2 of 4

Spill: Spilled material may create a slip hazard.

Section 7 Handling and storage

Handling: Avoid contact with melted materials

Storage: Store in cool dry, well ventilated area away from sources of extreme

heat or fire.

Section 8 Exposure controls/Personal protection

Ventilation Requirements: Provide adequate ventilation or local exhaust to remove fumes when

performing high-temperature process such as heat sealing or hot-wire

cutting.

Eye/Face Protection: Wear eye/face protection appropriate for hazard.

Skin Protection: Wear suitable gloves during processing.

Respiratory Protection: If smoke or fumes are generated during processing, use adequate

ventilation or wear appropriate approved respiratory protection (not

normally required).

Work Hygienic Practice: Avoid direct contact with heated material.

Section 9 Physical and chemical properties

Appearance: Translucent and odorless

Melting Point: 100-115 C

Physical State: Solid

Reactivity in Water: Negligible

Softening Point: 98 C

Solubility in Water: Insoluble

Specific Gravity or Density .90 - .95

(Water=1):

Section 10 Stability and reactivity

Stability: Material is stable

Incompatibility with Other

Materials:

None Known

Hazardous Decomposition Products: Hydrocarbon oxidation products, including carbon dioxide, carbon

Date Revised: March 29, 2019 Page 3 of 4

monoxide, organic acids, aldehydes and alcohols, may be formed during combustions.

Section 11

Toxicological information

Not toxic under normal conditions of use.

Section 12

Ecological information

No data available.

Section 13

Disposal Considerations

Dispose in accordance with all federal, state and local regulations.

Section 14

Transportation information

This product is not a regulated substance under the Department of Transportation (DOT) regulations.

Section 15

Regulatory information

This product contains no chemicals subject to the reporting requirements of SARA Title III, Section 302.

This product does not contain chemical components that exceed threshold reporting levels established by SARA Title II, Section 313.

This product is not known to contain any components subject to the disclosure requirements of Massachusetts, Pennsylvania, New Jersey and California.

Section 16

Other information

As the conditions of methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material. Information contained herein is believed to be true and accurate but all our suggestions are made without warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable Federal, State and Local laws and regulations remains the responsibility of the user.

Date Revised: March 29, 2019 Page 4 of 4